INTENSIV (A)

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : INTENSIV (A)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : BLANCHON GROUP.

Address : 50, 8ème rue.69800.SAINT PRIEST.FRANCE.

Telephone : 00.33.4.72.89.06.06. Fax : .

fds@blanchon.com

http://www.blanchon.com

#### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# Other emergency numbers

National Poisons Information Service (Birmingham Unit) : 844 892 0111 Poisons Information Centre of Ireland (DUBLIN) : +353 1 809 25 66 or +353 1 837 9964 (medical professionals)

# SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE;
	2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Precautionary statement	ts - General :
P102	Keep out of reach of children.
Precautionary statement	ts - Prevention :
P271	Use only outdoors or in a well-ventilated area.
Precautionary statement	ts - Disposal :
P501	Dispose of contents / container to an approved landfill.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

#### **Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 7631-86-9		[nano]	$0 \le x \% \le 1$
EC: 231-545-4			
REACH: 01-2119379499-16			
SILICON DIOXIDE			

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) BLANCHON GROUP

# INTENSIV (A)

INDEX: 613-088-00-6	GHS05, GHS07, GHS09		$0 \le x \% \le 0.05$
CAS: 2634-33-5			$0 \le x / 0 \le 0.03$
	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	В	$0 \le x \% \le 0.0015$
CAS: 55965-84-9	Dgr		
REACH: 01-2120764691-48	Acute Tox. 3, H301		
	Acute Tox. 2, H310		
MIXTURE OF:	Skin Corr. 1C, H314		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Skin Sens. 1A, H317		
ONE ; 2-METHYL-2H-ISOTHIAZOL-3-ONE	Eye Dam. 1, H318		
(3:1)	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = $100$		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH:071		

# Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
INDEX: 613-167-00-5	Skin Corr. 1C: H314 C>= 0.6%	
CAS: 55965-84-9	Skin Irrit. 2: H315 0.06% <= C < 0.6%	
REACH: 01-2120764691-48	Eye Dam. 1: H318 C>= 0.6%	
	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
MIXTURE OF:	Skin Sens. 1A: H317 C>= 0.0015%	
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-		
ONE ; 2-METHYL-2H-ISOTHIAZOL-3-ONE		
(3:1)		

#### Nanoform

Identification	Nanoform
CAS: 7631-86-9	Name of nanoform(s):
EC: 231-545-4	SILICON DIOXIDE
REACH: 01-2119379499-16	d50 : 2.5-50 nm
	Shape and aspect ratio of particles:
SILICON DIOXIDE	SPHEROIDAL
	Crystallinity: amorphous
	Surface functionalisation / treatment: no

# Information on ingredients :

(Full text of H-phrases: see section 16)

[Nano] Nanoform.

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing :

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

# **Fire prevention :**

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

#### No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

No data available.

# Derived no effect level (DNEL) or derived minimum effect level (DMEL):

SILICON DIOXIDE (CAS: 7631-86-9)

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) BLANCHON GROUP

# **INTENSIV (A)**

Final use:	Workers.
Exposure method:	Inhalation.
Potential health effects:	Short term local effects.
DNEL :	4 mg of substance/m3
Exposure method: Potential health effects: DNEL :	Inhalation. Long term local effects. 4 mg of substance/m3

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Physical state	
Physical state :	Viscous liquid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not relevant.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	100 °C.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash Point Interval :	$FP > 100^{\circ}C.$

Version 25.1 (16/02/2023) - Page 4/9

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) BLANCHON GROUP		Version 25.1 (16/02/2023) - Page 5/9
	INTENSIV (A)	
Auto-ignition temperature		
Self-ignition temperature :	Not relevant.	

Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
рН	
pH :	Not stated.
	Slightly basic.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	> 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard class	ses
No data available.	
9.2.2. Other safety characteristics	

# SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

**10.4. Conditions to avoid** No data available.

# 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

# **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008** No data available.

# 11.1.1. Substances

# Acute toxicity :

SILICON DIOXIDE (CAS: 7631-86-9) Oral route :

LD50 > 5000 mg/kg Species : Rat OECD Guideline 401 (Acute Oral Toxicity)

ETY DATA SHEET (REGULATION (EC) n° 190' NCHON GROUP	//2006 - REACH)	Version 25.1 (16/02/2023) - Page 6
	INTENSIV (A)	
Dermal route :	LD50 > 6000 mg/kg Species : Rabbit	
Inhalation route (Dusts/mist) :	LC50 >= 1000 mg/m3 Species : Rat OECD Guideline 403 (Acute Inhalation Toxicity)	
Skin corrosion/skin irritation : SILICON DIOXIDE (CAS: 7631-86-9)	Species : Rabbit OECD Guideline 404 (Acute Dermal Irritation / Corrosion)	
Serious damage to eyes/eye irritation : SILICON DIOXIDE (CAS: 7631-86-9)	OECD Guideline 405 (Acute Eye Irritation / Corrosion)	
Germ cell mutagenicity : SILICON DIOXIDE (CAS: 7631-86-9)	No mutagenic effect.	
	OECD Guideline 471 (Bacterial Reverse Mutation Assay)	
Reproductive toxicant : SILICON DIOXIDE (CAS: 7631-86-9) Study on fertility :	Species : Rat OECD Guideline 414 (Prenatal Developmental Toxicity Study)	
Specific target organ systemic toxicity - rep SILICON DIOXIDE (CAS: 7631-86-9) Oral route :	c = 9000 mg/kg bodyweight/day Species : Rat	
	Duration of exposure : 90 days OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in I	Rodents)
Inhalation route :	C = 1 mg/litre/6h/day Species : Rat Duration of exposure : 90 days OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)	

Respiratory or skin sensitisation : Contains at least one sensitising substance. May cause an allergic reaction.

# 11.2. Information on other hazards

# SECTION 12 : ECOLOGICAL INFORMATION

# 12.1. Toxicity

# 12.1.1. Substances

SILICON DIOXIDE (CAS: 7631-86-9) Fish toxicity :

Crustacean toxicity :

EC50 > 1000 mg/l Species : Daphnia magna Duration of exposure : 24 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

OECD Guideline 203 (Fish, Acute Toxicity Test)

Algae toxicity :

ECr50 > 10000 mg/l

LC50 = 10000 mg/l

Species : Danio rerio Duration of exposure : 96 h

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

#### **INTENSIV (A)**

Species : Scenedesmus subspicatus Duration of exposure : 72 h OECD Guideline 201 (Alga, Growth Inhibition Test)

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

# 12.2.1. Substances

SILICON DIOXIDE (CAS: 7631-86-9) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

# 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

#### **12.6.** Endocrine disrupting properties

No data available.

# 12.7. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

# **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

# 14.1. UN number or ID number

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- -
- 14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

-

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

No data available.

#### -Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Labelling for VOCs present in varnishes, paints and in vehicle refinishing products (2004/42/EC) :

The permitted European level of VOC in this ready-to-use product is limited to 80 g/l.

The permitted European level of VOC in the ready-to-use product (category IIAj) is 140 g/l maximum (2007/2010).

# - Particular provisions :

No data available.

## 15.2. Chemical safety assessment

No data available.

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

FOR PROFESSIONAL USE ONLY

#### Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### **Abbreviations :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

DNEL : Derived No-Effect Level

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

INTENSIV (A)

PBT: Persistent, bioaccumulable and toxic. vPvB : Very persistent, very bioaccumulable. SVHC : Substances of very high concern.

- Made under licence of European Label System  $\circledast MSDS$  software from InfoDyne - http://www.infodyne.fr -